INDEX

Achoria grissella, 422–428
Adelphocoris lineolatus, 331–334
Agrilus anxius, 141
Agrilus bilineatus, 141–142
Agriotes mancus, 349–352
Air-blast sprayer, 884–885
Airplane dusting, 810–813
Alfalfa plant-bug, 331–334
Alfalfa weevil, 329–331
Alfalfa thrips, 1009
Allen, H. W., 203
Allen, T. A., 783
American Association of Economic Entomologists
  Eastern Branch
    Articles of agreement, 129
    Secretary's report, 128
  Executive committee report, 9
  Membership committee, 23
  Nomenclature committee, 25
  Permanent Fund, 15
  Secretary, report, 3
Anacentrus sp., 832
Anaphoidea calendrae, 342
Anarsia lineatella, 736
Anderson, H. W., 466–469
Andricus cornigerus, 140
Andricus punctatus, 140
Angoumois grain moth, 237–238
Anomala orientalis, 266
Ant trap, 463–464
Anthonomus eugenii, 786
Anthrenus scrophulariae, 835
Anthrenus vorax, 835
Anticarsia gemmatelis, 711–715, 684
Anuraphis rosae, 182–184, 822–825
Apanteles xanthopus, 882
Aphelinus mali, 286, 790–794
Aphis pomi, 822–825, 738–741
Aphis rumicis, 877, 958
Apiary section, 407–459
Apicultural section activities, 408–418
Apple maggot, 764–769
Apple mining caterpillar, 91–94
Argentine ant, 882
Argyresthia franciscella, 785
Arsenical injury, 469–470
Arsenical sprays, 691–699
Arsenical substitutes, 370–376
Arsenate tests, 672–676
Aserica castanea, 266, 281–286
Asiatic beetle, 471
Attagenus piceus, 835
Audant, André, 972–979
Autographa californica, 736
Bacillus larvae, 453–459
Back, E. A., 226–231, 833–837, 1004–1009, 1014
Bacterial wilt disease, 145–146
Bagworm eggs, 882
Banding materials, 930–936
Bark beetles, 825–828
Barker, H. D., 842–847
Bassus stigmaterus, 882
Bean beetle, Mexican, 645–646
Bee hive temperatures, 418–421
Bee moths, 422–428
Bees, 218–223
Belling, John, 648
Bentley, G. M., 408–418, 567–569
Bigger, J. H., 287, 334–342
Biological Abstracts, 12
Biological control, 1018–1020
Bishopp, F. C., 356, 852–863
Blauvelt, W. E., 882
Boillot, B. F., 553–555
Boll weevil, 672–676
Borax, 401–404
Bordeaux mixture, 383–390
Boxwood leaf miner, 563–567
Bracon mellitor, 607–608
Bradley, G. H., 1012–1018
Bremidae, Oregon, 786–789
Bremus sp., 786–789
Bromley, S. W., 137–142
Brown, M. F., 145–146
Bryson, H. R., 303–315
Bud moth, 184–187
Burdette, R. C., 260–265
Burgess, A. F., 133–136, 718–720, 720–725
Burgess, R. W., 600–603
Burke, H. E., 783–785
Burrell, R. W., 994–997

Caffrey, D. J., 118
Cagle, L. R., 157–162
Callipterus juglandis, 794
Campbell, F. L., 357–370, 641
Cane borer control, 121–127
Carbon dioxide, 231–233
Carpet beetles, 835
Carpocapsa pomonella, 41–44, 45–53, 53–61, 61–75, 729–735, 907–922, 923–929, 930–936
Carposina fernaldana, 641
Carposina, Hawthorn, 641
Carter, Walter, 353–356
Cattle grubs, 356, 852–863
Central plant board, 569–570

Cephenomyia, 146
Ceratitis capitata, 509–512, 512–535
Chalcid parasites, 809
Chalcis falsosa, 882
Chamberlin, W. J., 795–798
Chambers, E. L., 547–550
Chandler, S. C., 596–599
Chapman, P. J., 149–154, 197–202
Cherry insect pest, 94–95
Chicago Exposition, 20
Childs, Leroy, 790–794, 883
Chilo loftini, 603–606
Chionaspis pinifoliae, 753–758
Chuster, Mrs. C. E., 783
Chyliza erudita, 286
Clarke, W. H., 704–708
Clothes moth, 834
Clover root curculio, 334–342
Clover weevils, 882
Cnidocampa flavescens, 478
Coad, B. R., 667–672
Cockerell, T. D. A., 882
Coconut moth, 891
Codling moth, 16, 41–44, 45–53, 53–61, 61–75, 464–465, 576–587, 729–735, 798–802, 803–809, 907–922, 923–929, 930–936
Colby, A. S., 97–109
Commercial control, 162–164
Common names, approved, 639
Comstock, A. B., 772, 889–890
Comstock, J. H., 772
Confused flour beetle, 958–966
Conotrachelus nenuphar, 699–704.
Control, efficiency, 289
Copper toxicity, 390–394
Corn borer, 17, 118–121
Corn ear worm, 725–728
Corn stalk borer, lesser, 466
Cory, E. N., 146–149, 563–567, 882
Cotton boll-weevil, 607–608
Cotton boll worm, 810–813
Cotton insects, 667–672
Cotton, R. T., 226–231, 231–233, 463–464, 833–837, 1014
Courtney, O. K., 266
Craig, L. C., 988–991
Crisfield, G. F., 607–608
Crop Protection Institute, 10
Crosby, C. R., 882
Cucumber dusting, 197–202
Curculio, 699–704
Cutright, C. R., 738–741
Cyrtopeltis varians, 464

Daniel, D. M., 215–218
Devices, insect handling, 234–237
Darley, M. M., 383–390, 390–394
Davidson, W. M., 868–874, 877–879
Dean, F. P., 53–61
Dearborn, F. E., 630–635, 758–764
Debris, 877–879
De Long, D. M., 383–390, 390–394
Demmick, R. E., 794
Dendroctonus frontalis, 826
de Ong, E. R., 619–624, 809
Desmoris fulvus, 287
Diatraea sp., 603–606
Diatraea grandiosella, 118–121
Diatraea saccharalis, 286–287, 677–680, 882, 999–1004
Dichomeris piperatus, 885–886
Dicymolomia julianis, 883
Dicyphus luridus, 640–641
Dicyphus minimus, 642
Douglass, J. R., 288, 645–646
Douglas, W. A., 684–690
Dowdle, V., 321
Driggers, B. F., 209–215

Earwig, 809
Eastern plant board, 574–575
Eddy, C. O., 704–708
Elasmopalpus lignosellus, 466
Elateridae, 303–315
Ellington, G. W., 226–231, 237–238, 463–464
Elmore, J. C., 786
Empoa rosae, 884
Empoasca sp., 842–847
Empoasca fabae, 390–394, 770
Empoasca mali, 884
Empoasca maligna, 884
Entomological research, 28–35
Entomologists, training, 19
Entomology, engineers, 795–798
Entomology, textbook, 648
Ephestia elutella, 1004–1006
Epilachna corrupta, 945–955
Epitrix sp., 786
Epuraea luteola, 287
Erax interruptus, 709–711
Eriophyes avellanae, 142
Eriosoma lanigerum, 741–743
Essig, E. O., 287, 997–999
Ethylene oxide, 226–231
European brown scale, 809
European corn borer, 154–157, 936–938, 938–945
European ground beetle, 809

Farrar, M. D., 41–44, 466–469, 979–985
Federal fruit fly board, 291
Felt, E. P., 109–113, 137–142, 292, 648, 772
Fidia longipes, 95–97
Filmer, R. S., 165–169
Fisher, H. J., 113–118
Flanders, S. E., 603–606, 837–841, 886–887, 1008
Fleming, W. E., 502–507
Fletcher, R. K., 770

Flint, W. P., 41–44, 404–406, 466–469
Flow meters, 988–991
Fluke, C. L., 741–743
Fly trapping, 966–972
Forbes, Stephen Alfred, 472
Foster, Edward, 1017
Fracker, S. B., 536–544
Franklin, Benjamin, 1007
Frankliniella occidentalis, 1009
Frost, S. W., 813–821
Fulton, B. B., 625–630
Fumigant densities, 985–987
Fungicides and corn, 404–406

Gahm, O. E., 744–747
Galleria mellonella, 422–428
Garman, Philip, 203–205
Gates, L. M., 544–547
Gillespie, D. G., 790–794
Ginsburg, J. M., 260
Gipsy moth, 718–720, 720–725
Glaser, R. W., 266
Glasgow, Hugh, 182–184
Glassford, John, 874–877
Glenn, P. A., 569–570
Gnat trap, 997–999
Gould, Edwin, 188–190
Gould, G. E., 149–154, 197–202
Graham, C., 563–567
Granovsky, A. A., 94–95
Grapholitha conversans, 794
Grasshoppers, 465
Guyton, T. L., 113–118
Gypsy moth, 38–41

Hadley, C. H., 266, 508
Haegele, R. W., 884
Hag moth, oriental, 478
Haiti insects, 972–979
Hallock, H. C., 281–286
Hamilton, C. C., 238–251
Harlequin bug, 625–630
Harman, S. W., 184–187
Hartzell, A., 608–618
Hartzell, F. Z., 190–197, 747–753
Haseman, L., 91–94, 316–321, 641
Hawkins, K., 459
Hawkins, J. H., 349–352
Headlee, T. J., 28–35, 45–53, 251–260, 574–575
Heliothis obsoleta, 725–728, 810–813
Heliothrips femoralis, 608
Henerey, W. T., 146–149
Hermetia illucens, 1012–1013
Herms, W. B., 600–603
Herr, E. A., 938–945
Herrick, G. W., 772, 889–890
Hervey, G. E. R., 154–157
Hessian fly, 316–321, 322–326, 326–329
Hinds, W. E., 121–127, 672–676, 711–715
Hippelates pusio, 600–603
Hippodamia convergens, 288
Hoerner, J. L., 174–177
Holloway, J. K., 266–274
Holloway, T. E., 832–833, 1008
Honeybee, 223–225, 441–447, 447–453
Honey, heated, 428–431
Honey institute, 459
Honey, spoilage, 431–438
Hot water treatment, 547–550
Howard, L. O., 286
Huckett, H. C., 169–174
Hull, F. M., 715–717
Hulstea undulatella, 736
Humidity apparatus, 994–997
Hutchins, L. M., 555–562
Hutson, Ray, 223–225
Hylemyia antiqua, 394–398
Hypera meles, 882
Hypera nigrirostris, 882
Hypoaspis macropilis, 1009
Hypoderma bovis, 852–863
Hypoderma lineatum, 852–863

Imms, A. D., 648
Index, 7, 14, 470
Ingram, J. W., 832–833
Insect-association studies, 353–356
Insecticide toxicity, 357–370, 383
Instars, duration, 587–595
Ips calligraphus, 826
Ips grandicollis, 826
Iridomyrmex humilis, 882
Isely, Dwight, 95–97

Jacobsen, W. C., 570–574
Japanese beetle, 266, 275–278, 278–281, 495–501, 502–507, 956–958
Jaynes, H. A., 677–680, 882
Johnson, H. G., 642
Jones, G. D., 553–555
Jones, M. P., 394–398
Journal statement, 7

Keen, S. E., 794
Kincaid, Trevor, 809
King, J. L., 266–274
Knight, H. H., 331–334

Laake, E. W., 356, 852–863, 966–972
Laboratory methods, 794
Lachnus sabinae, 138–139
Lady beetle, 288
Lasioderma serricorne, 835, 1004
Laspeyresia molesta, 75–85, 85–91, 203–205, 205–208, 209–215, 215–218, 596–599, 813–821
Latin square, 747–753
Leafhopper, 177–182, 884
Lecanium numismaticum, 544–547
Lehman, R. S., 958–966
Leonard, M. D., 61–75, 640–641

Lepidocyrtus violentus, 680
Lepidopterus larvae, 736–738
Levuana iridescens, 891
Limnobaris sp., 832
Linopodes antennaepes, 744–747
Liparis monacha, 37
Lipp, J. W., 205–208
Lissopimpla pacifica, 882
Lissopimpla semipunctata, 882
List, G. M., 342–348
Lixophaga diatraeae, 999–1004
Loxostege sp., 736

Macrocentrus ancylivora, 203, 471
Magnesium arsenate, 758–764
Manganese arsenate, 630–635
Manual of insects, 772
Marcovitch, S., 370–376
Marvin, G. E., 431–438
Matheson, Robert, 292
McAllister Jr., L. C., 907–922
McConnell, H. S., 142–144
McCreary, D., 883
McLaine, L. S., 38–41
Meadow grasshopper, 97–109
Mediterranean fruit fly, 509–512, 512–535
Mehrhof, F. E., 275–278
Metcalf, C. L., 97–109
Metzger, F. W., 278–281
Meulen, P. A., yan der, 1012
Mexican bean beetle, 146–149, 149–154, 945–955
Microscope, use of, 648
Middleton, William, 289
Miller, D. F., 945–955
Miller, J. H., 607–608
Mills, H. B., 822–825
Milum, V. G., 441–447
Mineola scitulella, 321
Moody, D. L., 822–825
Morse, A. P., 465
Mosquitoes, North American, 292
Mote, D. C., 783–809
Moznette, G. F., 691–699
Mundinger, F. G., 764–769
Murgantia histrionica, 625
Mushroom mite, 744–747
Mylabris pisorum, 398–401
Myzocallis fumipennellus, 140–141

Naphthalene, 958–966
Naphthalene fumigation, 608–618
Nectar yield, 438–439
Nectars, floral, 440–441
Neiswander, C. R., 938–945
Neiswander, R. B., 75–85, 202
Nelson, O. A., 985–987
Neonicotine, 863–867
Nepticula sericopeza, 137–138
Newcomer, E. J., 289-290, 798–802
Newell, W., 512, 535
Nickels, C. B., 287–288
Nicotine, 165–169, 169–174
Nitidulid beetle, 287
Noctuid moth, 644–645
Nose fly, 146
Notiopimpla priosnemidea, 882
Nun moth, 37
Nuttycombe, J. W., 725–728

Oil emulsions, 642–643
Oil spray, 376–382, 289–290, 753–758
Oil-sulphur combinations, 979–985
Onion maggot, 394–398
Onion thrips, 704–708
Onychiurus armatus, 680
Orchelimum vulgare, 97–109
Oriental fruit moth, 75–85, 85–91, 202, 596–599, 813–821, 1007
Oriental peach moth, 203–205, 205–208, 209–215, 215–218
Osborn, Herbert, 473
Osterberger, B. A., 709–711

Pachypsylla gemma, 139–140
Pachypsylla mamma, 139
Pack, H. J., 321, 736–738
Paddock, F. B., 422–428
Paine, R. W., 891
Painter, R. H., 322–326, 326–329
Paradichlorobenzene, 636–638, 958–966
Paratheresia claripalpis, 676–680
Park, O. W., 438–439, 440–441
Parlatoria oleae, 142–144
Parrott, P. J., 182–184
Patch, L. H., 118
Pea weevil, 398–401
Peach borer, lesser, 636–638
Peairs, L. M., 188–190
Pear psylla, 190–197
Pearson, H. M., 829–831
Pecan leaf case-bearer, 691–699
Penetrol, 174–177
Pepper weevil, 786
Perigia sutor, 644–645
Peters, H. S., 852–863
Petroleum insecticides, 848–851
Phillips, E. F., 218–223
Phony disease, 555–562
Phytonomus posticus, 329–331
Phytophaga destructor, 316–321, 322–326, 326–329
Pine tar oils, 809
Pine tip moth, 113–118
Pinkney, C. C., 287–288
Pissodes strobi, 640
Pistol case-bearer, 188–190
Plant inspection, 550–553
Plant lice, 715–717
Plebeius acmon, 770

Plum curculio, 157–162
Pine tortoise scale, 544–547
Poos, F. W., 770
Popillia japonica, 266, 495–501, 502–507, 956–958
Porthetria dispar, 38–41
Potato leafhopper, 390–394, 770
  pests, Peruvian, 643–644
Potts, S. F., 469–470
Psithyrus, sp., 786
Psyllia pyripyri, 190–197
Pterostichus vulgaris, 809
Pyrausta nubilalis, 936–938, 938–945
Pyrethrum, 251–259, 260, 874–877
Pyrethrum-soap, 460–462

Quarantine, 536–544
Quarantine and control, 508
Quarantine qualifications, 487–494

Rasek, J. M., 37
Recurvaria nanella, 736
Reed, W. D., 1004–1006
Reeves, G. I., 329–331
Reid, Jr., W. J., 383–390, 390–394
Rhyacionia frustrana, 113–118
Richardson, C. H., 863–867
Richardson, H. H., 753–758
Roark, R. C., 460–462, 985–987, 1014
Rockwood, L. P., 794
Roney, J. N., 286–287
Rosenfeld, A. H., 1018–1020
Rosewall, O. W., 464
Rosy Aphid, 182–184
Rotenone, 868–874, 1014

Safro, V. I., 162–164
Sakimura, K., 1009
Sanders, P. D., 146–149
Satterthwait, A. F., 342
Savage, J. R., 936–938
Scaramuzza, L. C., 999–1004
Schoene, W. J., 177–182
Schwardt, H. H., 401–404
Scolytus quadrispinosus, 826
Scullen, H. A., 786–789
Seed caterpillar, 794
Sein, Jr., Francisco, 885–886
Shade tree insects, 109–113, 137–142, 783–785
Sheals, R. A., 536–544
Shepard, H. H., 863–867
Sherman, F., 810–813
Shirck, F. H., 991–994
Silkworms, parasites, 882
Sitodrepa panicea, 835
Sitotroga, 1008
Sitona hispidula, 334–342
Smith, C. E., 464
Smith, C. R., 863–867
Smith, F. F., 113–118, 289
Smith, L. B., 495–501
Smith, M. A., 466–469, 979–985
Smith, R. C., 842–847, 972–979
Smith, R. H., 376–382, 464–465, 1009–1011
Snapp, O. I., 636–638, 642–643, 699–704, 884–885, 1007
Soap solutions, 625–630, 1011–1012
Soil-washing device, 991–994
Southern plant board, 567–569
Spencer, Herbert, 121–127, 680–684
Spilographa electa, 260–265
Spilonota ocellana, 736
Spray coverage, 466–469
Spraying equipment, 133–136
Spuler, A., 53–61, 289–290, 803–809
Stabe, H. A., 447–453
Stahl, C. F., 466
Stanley, W. W., 370–376
Stearns, L. A., 75–85, 202
Stewart, N. H., 146
St. George, R. A., 825–828
Stoner, D., 644–645
Stracener, C. L., 680–684
Strand, A. L., 383
Strawberry root-weevils, 809
Strong, L. A., 509–512
Sturtevant, A. P., 453–459
Swingle, M. C., 956–958
Symphylella, sp., 680
Sugar cane borers, Mexican, 603–606
Sugar cane moth borer, 286–287
Sullivan, K. C., 550–553
Sunflower weevil, 287
Surface tension, 238–251

Talc, 260–265
Tank-mixtures, 1009–1011
Tarsonemus pallidus, 608
Taylor, R. L., 587–595, 640
Taylor, T. H. C., 891
Terpineol, 641
Tetranychus telarius, 608
Thomas, F. L., 118–121
Thompson, B. G., 794
Thompson, W. R., 1018–1020
Thomson, J. R., 642–643, 884–885, 1007
Thrips tabaci, 608, 704–708, 829–831
Thryidopteryx ephemeraeformis, 883
Tinea pellionella, 834
Tineola biselliella, 834
Tiphia popilliavora, 266–274
Tobacco beetle, 835, 1004
Tobacco suck-fly, 640–641
Todd, C. G., 118–121
Tothill, J. D., 891
Tow bugs, 835
Transportation, 536–544
Trap baits, 576–587, 923–929
Trap records, 803–809
Tribolium confusum, 958–966

Trichogramma minutum, 287–288, 342–348, 471, 837–841, 886–887
Triphleps tristicolor, 831
Tropical Plant Research Foundation, 11
Trypeta pomonella, 764–769
Typhlocyba pomaria, 884
Typhlocyba rosea, 884

Van Leeuwen, E. R., 275–278
Vansell, G. H., 418–421, 428–431
Velvet bean caterpillar, 684–690

Wallace, F. N., 487–494
Walnut aphis, 794
Webster, R. L., 786
Wehrle, L. P., 286
Wells, R. W., 852–863
Western plant board, 570–574
White pine scale, 753–758
White pine weevil, 640
Whitehead, F. E., 398–401
Wilcox, J., 809
Wilcoxon, F., 608–618
Wireworms, 251–260, 303–315, 349–352
Wireworm investigations, 991–994
Wisecup, C. B., 644–645
Wishart, G., 234–237
Wolcott, G. N., 643–644
Woodworth, C. W., 848–851
Woolly apple aphid, 741–743, 883
  apple aphis parasite, 790–794

Yellows, bean, 842–847
Yetter, Jr., W. P., 85–91
Yothers, M. A., 576–587, 729–735, 923–929, 930–936

Zophodia grossulariae, 736